

Message

---

**From:** Bahrman, Sarah [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=1D493CF492ED4FC0BE275A699826A64C-BAHRMAN, SARAH]  
**Sent:** 11/9/2018 7:30:12 PM  
**To:** Minter, Douglas [Minter.Douglas@epa.gov]; Shea, Valois [Shea.Valois@epa.gov]  
**Subject:** RE: DB

## Ex. 5 Deliberative Process (DP)

Sarah E. Bahrman | Director, Safe Drinking Water Program | U.S. Environmental Protection Agency - Region 8  
(p) 303.312.6243 | (c) 303.903.8515 | (f) 877.876.9101

---

**From:** Minter, Douglas  
**Sent:** Friday, November 9, 2018 9:08 AM  
**To:** Shea, Valois <Shea.Valois@epa.gov>  
**Cc:** Bahrman, Sarah <Bahrman.Sarah@epa.gov>  
**Subject:** RE: DB

## Ex. 5 Deliberative Process (DP)

Douglas

---

**From:** Shea, Valois  
**Sent:** Friday, November 9, 2018 8:43 AM  
**To:** Minter, Douglas <Minter.Douglas@epa.gov>  
**Subject:** RE: DB

Hi Douglas,  
John actually reached out to me yesterday and left a message. He only mentioned the AE boundary issue and wanted to talk about how much flexibility can be allowed. I had already set up a meeting with Lucita

## Ex. 5 AC/DP

## Ex. 5 Deliberative Process (DP)

Thanks!

*Valois*

---

Valois Shea  
U.S. EPA Region 8  
MailCode: 8WP-SUI  
1595 Wynkoop Street  
Denver, CO 80202-1129  
Phone: (303) 312-6276  
Fax: (303) 312-6741  
Email: [shea.valois@epa.gov](mailto:shea.valois@epa.gov)

---

**From:** Minter, Douglas  
**Sent:** Friday, November 9, 2018 7:34 AM  
**To:** Shea, Valois <[Shea.Valois@epa.gov](mailto:Shea.Valois@epa.gov)>  
**Subject:** DB

Hi Valois: let's hope today is a quiet and productive one!

Let me know if you will have time today to call John Mays to set up a call next week. I am happy to do it and would just state that we want to follow up from their call with Darcy and Doug.

Thanks!

Douglas Minter, MPH  
UIC Unit Manager  
1595 Wynkoop Street  
USEPA Region 8

(303) 312 6079

“Practicing Public Servant Leadership”